## **Capture Fisheries of India**

## **1. POMFRET FISHERY**

## (E-Contents prepared by Prof. S.P. Trivedi, Department of Zoology, University of Lucknow, Lucknow-226007)

**Pomfrets** are distributed at depth up to 150 m all along the coast of India; however, bulk of their catch comes from Gujarat and Maharashtra in the northwest and Orissa in the northeast coasts. Silver pomfret, Chinese pomfret/white pomfret and black pomfret are the three prominent varieties of pomfrets. They are **Perciforme** fishes belonging to the family **Stromateidae** (**Bramidae**). Several species of Ponfrets are recognized as delicious and high priced table fishes, both in India and abroad '**Monchong'** is a famous Hawaiian cuisine prepared from Ponfrets. They are globally distributed particularly in High Seas.

**Pomfrets** represents one of the prominent groups of demersal fishery (species distributed from the seafloor to a distance of 5 m depth above). Northeast coast displays a dominance of sciaenids and catfishes along with pomfrets. They contribute arround 2% of total marine landings in India. Drift gillnets (mesh size 14-155 mm) are used to catch adult pomfrets while *dol* nets are employed to essentially exploit juveniles in northwest coast.

As pomfret fishery witnessed a collapse in 1990s, stringent regulations have been pressed for responsible pomfret fishing. Young ones of pomfret display a shoreward vertical migration up the estuaries. However, deeper waters (22-37m) are preferred for profitable pomfret fishing.

## Pomfret



- Scientific classification
- Kingdom : <u>Animalia</u>
- Phylum : <u>Chordata</u>
- Class : <u>Actinopterygii</u>
- Order : <u>Perciformes</u>
- Suborder : <u>Percoidei</u>
- Superfamily : <u>Percoidea</u>
  - Family : Bramidae

**Distribution:** They are found in the <u>Atlantic</u>, <u>Indian</u>, and <u>Pacific Oceans</u>, and the largest species, the <u>Atlantic pomfret</u>, *Brama brama*, grows up to 1 metre (3.3 ft)

1. Pampus argentius	(Silver Pomret)
2. Pampus Chinensis	(Chinese Pomfret)
3. Parastomateus Niger	(Black Pomfret)
Fishing areas :	Bombay coasts, Versora, Veraval, Etc.
Fishing Seasons :	From Sept. to January – Peak Season Oct-Dec.
Crafts&Gears :	Main Net used "Dol" (Bag net)

Several species are important food fish, especially *Brama brama* in south <u>Asia</u>. The earlier form of the pomfret's name was *pamflet*, a word which probably ultimately comes from <u>Portuguese</u> *pampo*, referring to various fish such as the blue butterfish (<u>Stromateus fiatola</u>)